(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

and soil name	 Pct. of map unit	 	Paths and trails		Off-road motorcycle trails 		
	 			Rating class and limiting features			
Ab: Alluvial Land	90	 Not rated 	 	 Not rated 	 	 Not rated 	
ArB: Aredale	 100	 Not limited	 	 Not limited	 	 Not limited	
ArC: Aredale	 100 	 Not limited 	 	 Not limited 	 	 Not limited 	
AtA: Atkinson	 100	 Not limited	 	 Not limited	 	 Not limited	
AtB: Atkinson	1100	 Not limited	 	 Not limited		 Not limited	
AtC: Atkinson	1100	 Not limited	 	 Not limited	 	 Not limited	
BaB: Backbone	 100 			 Somewhat limited Too sandy 			
BaC: Backbone	 100 	 Somewhat limited Too sandy 			 0.72		 0.46 0.01
BaD: Backbone	 100 	•		 Somewhat limited Too sandy 		Depth to bedrock	 0.63 0.46 0.01
BeB: Bassett	100	 Not limited	 	 Not limited		 Not limited	
BeC: Bassett	100	 Not limited	 	 Not limited	 	 Not limited	
BeC2: Bassett	 100 	 Not limited 	 	 Not limited 	 	 Not limited 	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol and soil name	Pct. of map unit	I I	S	Off-road motorcycle trai 	ls	Golf fairways	
				 Rating class and limiting features 			
Bk: Blockton Variant	 - 100 	 	11.00	Depth to	11.00	 	1 1.00
BuA: Burkhardt	100	 Not limited 	 	 Not limited 	 	 Somewhat limited Droughty	0.05
BuC: Burkhardt	 - 100 	 Not limited 		 Not limited 	 	 Somewhat limited Droughty 	0.05
ChB: Chelsea	 - 100 			 Very limited Too sandy 			 0.69 0.50
ChC: Chelsea	 - 100 		11.00	 Very limited Too sandy 		 Somewhat limited Droughty Too sandy	 0.69 0.50
Che: Chelsea	 - 100 	 Very limited Too sandy 		 Very limited Too sandy 	 1.00 	•	 0.96 0.69 0.50
Ck: Clyde	 - 100 	 Very limited Depth to saturated zone 	11.00	 Very limited Depth to saturated zone 	1.00		1 1.00
CmB: Coggon	 - 100	 Not limited		 Not limited 	 	 Not limited 	
CmC: Coggon	 - 100	 Not limited	 	 Not limited	 	 Not limited	
Cn: Colo	 - 100 	_	1.00	 Very limited Depth to saturated zone 	 1.00 	 Very limited Depth to saturated zone Flooding	11.00
CoB:	 - 50	 Very limited		 Very limited	 	 Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol Pct. and soil name of map unit		 	S	Off-road motorcycle trai 	ls	Golf fairways	
				Rating class and limiting features			
	 	Depth to saturated zone		Depth to saturated zone		Depth to saturated zone Flooding	11.00
Terril	- 30	 Not limited		 Not limited		 Not limited	
CrB: Cresco	- 100	 Not limited 	 	 Not limited 	 	 Not limited 	
CrC:	- 100	 Not limited		 Not limited		 Not limited	
DcB: Dickinson	- 100	 Not limited 		 Not limited 		 Somewhat limited Droughty	0.18
DcC: Dickinson	- 100	 Not limited 		 Not limited 		 Somewhat limited Droughty	0.18
DdA: Dickinson	- 100	 Not limited 		 Not limited 		 Somewhat limited Droughty	0.18
DdB: Dickinson	- 100	 Not limited 		 Not limited 		 Somewhat limited Droughty	0.18
DgA: Dickinson	- 100	 Not limited 	 	 Not limited 	 	 Not limited 	
DgB: Dickinson	- 100	 Not limited		 Not limited		 Not limited	
DoA: Dickinson	- 60	 Not limited 		 Not limited 	 	 Somewhat limited Droughty	 0.18
Ostrander	- 40	 Not limited	 	 Not limited 		 Not limited 	
DoB: Dickinson	- 60	 Not limited		 Not limited 	,	 Somewhat limited Droughty	0.18
Ostrander	- 40	 Not limited	 	 Not limited 	 	 Not limited	
DoC: Dickinson	- 60	 Not limited	 	 Not limited	 	 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol and soil name	Pct. of map unit	motorcycle trails			.ls	Golf fairways	
		=		Rating class and limiting features			
	 		 		 	 Droughty	0.18
Ostrander	- 40	 Not limited 	 	 Not limited		 Not limited	
DsB: Dinsdale	- 100	 Not limited 	 	 Not limited 	 	 Not limited	
DsC: Dinsdale	100 -	 Not limited 		 Not limited 	 	 Not limited 	i I
FaB: Fayette	- 100	 Not limited		 Not limited		 Not limited	
FaC2: Fayette	 - 100	 Not limited 	 	 Not limited 	 	 Not limited 	
FoB: Floyd	- 95	 Not limited	i !	 Not limited	į Į	 Not limited	į Į
Fr: Franklin	 95	 Not limited	 	 Not limited		 Not limited	
HaB: Hagener	- 100	 Somewhat limited Too sandy		 Somewhat limited Too sandy			10.08
HaC: Hagener	- 100 	 Somewhat limited Too sandy		 Somewhat limited Too sandy			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
HaD: Hagener	 100 	 Somewhat limited Too sandy 		 Somewhat limited Too sandy 			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
HbA: Hagener		 Somewhat limited Too sandy	0.84	Too sandy		Droughty	1 0.08
HbB: Hagener	- 100	 Somewhat limited	İ	 Somewhat limited	İ	 Somewhat limited	1 1 1 0.08
Hc: Harpster	 100 	 - Very limited Depth to saturated zone 	 1.00 	 Very limited Depth to saturated zone 		 Very limited Depth to saturated zone 	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol and soil name	Pct. of map unit	I I	S	Off-road motorcycle tra 	ils	 Golf fairways 	3
 					Rating class and limiting features		
Hd: Hayfield	 - 95	 		 Not limited 		 Not limited 	
Hm: Hayfield	 - 95	 Not limited	 	 Not limited	 	 Not limited	
Hv: Hayfield Variant	 - 95	 Not limited		 Not limited		 Not limited	
KeB:	- 100	 Not limited		 Not limited		 Not limited	
KeC:	- 100	 Not limited		 Not limited		 Not limited	
KeC2:	- 100	 Not limited		 Not limited		 Not limited	
Kg: Klinger	 - 95	 Not limited		 Not limited		 Not limited	
LaB:	- 100	 Not limited		 Not limited		 Not limited	
LaC:	- 100	 Not limited		 Not limited		 Not limited	
LaD: Lamont	 - 100	 Not limited 		 Not limited 		 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1
LbA:	- 100	 Not limited		 Not limited		 Not limited	
Ld: Lawler	 - 95	 Not limited		 Not limited		 Not limited	
Lm: Lawler	 - 95	 Not limited		 Not limited		 Not limited	
Ma: Marsh	 - 95	 Not rated	 	 Not rated		 Not rated	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

and soil name	Pct. of map unit	l	Paths and trails		Off-road motorcycle trails 		Golf fairways - -	
	 	=				-		
Mr: Marshan	 100 100			 Very limited Depth to saturated zone			1 1.00	
Ms: Marshan	 100 	Depth to	1.00	 Very limited Depth to saturated zone	11.00	Depth to	11.00	
Mt: Marshan	 100 			 Very limited Depth to saturated zone			11.00	
Mx: Maxfield	 100 	 Very limited Depth to saturated zone	1.00		11.00		11.00	
My: Muscatine	 95	 Not limited	 	 Not limited	 	 Not limited		
No: Nodaway	 90 	 Not limited	 	 Not limited		 Somewhat limited Flooding	0.60	
OrA: Oran	95	 Not limited	 	 Not limited	 	 Not limited		
OrB: Oran	 95	 Not limited	 	 Not limited	 	 Not limited		
OsA: Ostrander	 100	 Not limited	 	 Not limited	 	 Not limited		
OsB: Ostrander	1100	 Not limited	 	 Not limited	 	 Not limited		
OsC: Ostrander	 100	 Not limited	 	 Not limited	 	 Not limited		
Pe: Peaty Muck	 100 	 Not rated 	 	 Not rated 		 Not rated 	 	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

and soil name	 Pct. of map unit	 	5	 	Off-road motorcycle trai	ls	 Golf fairways 	
	 						Rating class and limiting features	
Pm: Peaty Muck	 100 	 Not rated 	' 	 Not 	rated	 	 Not rated 	
PoB: Port Byron	 100 	 Not limited 	 	 Not 	limited	 	 Not limited 	
PoC2: Port Byron	 100	 Not limited	 	 Not	limited	 	 Not limited	
PoD2: Port Byron	 100 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Slope 	10.63
ReA: Readlyn	 95	 Not limited	 	 Not	limited		 Not limited	
ReB: Readlyn	95	 Not limited	 	 Not	limited		 Not limited	
RfB: Riceville	 95	 Not limited	 	 Not	limited	 	 Not limited	
RkB: Rockton	 100 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Depth to bedrock	0.46
RkC: Rockton	 100 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Depth to bedrock	0.46
RkD: Rockton	 100 	 Not limited 	 	 Not 	limited	 	 Somewhat limited Slope Depth to bedrock	10.63
Ro: Rolfe	 100 	-		De	y limited epth to saturated zone		 Very limited Depth to saturated zone	11.00
Sa: Sable	 100 	-		De	y limited epth to saturated zone		 Very limited Depth to saturated zone 	 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol and soil name	Pct. of map unit	i I		Off-road motorcycle trai	Off-road motorcycle trails		
					 Rating class and limiting features 		
SbA: Sattre	 100	 		 Not limited 		 Not limited	
SbB: Sattre	100	 Not limited	 	 Not limited		 Not limited	
SdA: Sattre	100	 Not limited	 	 Not limited 		 Not limited 	
SeB: Seaton	100	 Not limited	i 	 Not limited		 Not limited	
SeC2:	100	 Not limited		 Not limited		 Not limited	
SeD2: Seaton	100 	 Not limited		 Not limited 		 Somewhat limited Slope	10.63
SeD3: Seaton	 100 	 Not limited 	 	 Not limited 	 	 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SeE2: Seaton	 100 	 Somewhat limited Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Not limited 		 Very limited Slope	1 1.00
SeF2: Seaton	 100 	 Somewhat limited Slope	1 0.98	 Not limited 		 Very limited Slope	1 1.00
SoD:							
Sogn	100 	Not limited 		Not limited 			0.92 0.16
SoF: Sogn	 100 	 Somewhat limited Slope 	 0.82 	 Not limited 			1.00 0.92

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

and soil name	 Pct. of map unit	i I	Paths and trails		Off-road motorcycle trails 		3
	 	 Rating class and limiting features 		 Rating class and limiting features 			
Sp: Spillville	 95 	 Not limited 	 	 Not limited 	 	 Somewhat limited Flooding	 0.60
Sv: Spillville	 60 	 Not limited 	 - -	 Not limited	 	 Somewhat limited Flooding	 0.60
Colo			1.00	 Very limited Depth to saturated zone 	11.00	saturated zone	 1.00 0.60
Tr: Tripoli	 100 	 Very limited Depth to saturated zone	1.00	 Very limited Depth to saturated zone	11.00	 Very limited Depth to saturated zone	11.00
TxA: Terril	 100	 Not limited	 	 Not limited		 Not limited	
TxB: Terril	 100	 Not limited	 	 Not limited	 	 Not limited	
WaA: Waukegan	 100	 Not limited	 	 Not limited	 	 Not limited	
WaB: Waukegan	 100	 Not limited	 	 Not limited	 	 Not limited	
WgA: Waukegan	 100	 Not limited	 	 Not limited	 	 Not limited	
WgB: Waukegan	100	 Not limited	 	 Not limited	 	 Not limited	
WgC: Waukegan	1100		 	 Not limited	 	 Not limited	
WkA: Waukegan	İ		İ	 Not limited	İ	 Not limited	
WnB: Winneshiek	 100 	 Not limited 	 	 Not limited 	 	 Somewhat limited Depth to bedrock 	 0.46
WnC: Winneshiek	 100	 Not limited	 	 Not limited	 	 Somewhat limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Bremer County, Iowa

Map symbol and soil name	 Pct. of map	Paths and trails	Off-road motorcycle trails	Golf fairways
	unit 		 	
	 			Depth to bedrock 0.46